

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	308	(717/125).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 10:19
S2	159	S1 and (debug or debuggin or debugger)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 10:20
S3	0	S2 and (business process\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 10:20
S4	6	S2 and ((business or distributed) process\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 11:08
S5	0	S2 and xlang	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 10:40
S6	3	("7113942").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/24 15:15
S7	2	("20030225769").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/24 15:16

## EAST Search History

S8	3	("7107340").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/24 15:18
S9	0	("11495271").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/24 15:18
S10	23	(XLANG and NET)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 07:56
S11	0	(XLANG and NET and BuzTalk)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/24 15:19
S12	1	("20070143795").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/25 08:12
S13	0	("BizTalk same(debugging or debug\$2)").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/25 08:13
S14	3	BizTalk same (debugging or debug\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 08:14

## EAST Search History

S15	55	BizTalk and (debugging or debug\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 08:29
S16	722	(business process) and (debugging or debug\$2) and distributed	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 08:31
S17	2	(business process) same (debugging or debug\$2) same distributed	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 08:30
S18	40	(business process) and ((debugging or debug\$2) same distributed)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 08:31
S19	2	("6954757").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/25 11:09
S20	2	("6954757").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/25 11:10
S21	2	("6202200").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/25 11:48

## EAST Search History

S22	0	("biztalkororchestration)same(int except\$2)".PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/25 11:49
S23	9	(biztalk or orchestration) same (intercept\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 11:54
S24	2	("20070118386").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/25 11:59
S25	0	("BAMandinterceptor").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/25 11:59
S26	12	BAM and interceptor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 12:20
S27	2	("20070118386").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/25 13:43
S28	81	Business Activity Monitoring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 13:43

## EAST Search History

S29	0	(Business Activity Monitoring) same (debug\$2 or debugging)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 13:44
S30	4	(Business Activity Monitoring) and (debug\$2 or debugging)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/25 13:44

[Google](#)[Search](#)[Advanced Search](#)[Preferences](#)[New!](#) [View and manage your web history](#)[Web](#)Results 1 - 10 of about 740,000 for **debugging BizTalk**. (0.11 seconds)

## **Debugging a BizTalk Orchestration**

Debugging a BizTalk Orchestration. So you create your first Orchestration and somehow you manage to get it deployed. Now the big question...how to I debug? ...  
[dallas.sark.com/SarkBlog/mholdorf/archive/2004/06/15/266.aspx](http://dallas.sark.com/SarkBlog/mholdorf/archive/2004/06/15/266.aspx) - 20k -  
[Cached](#) - [Similar pages](#)

## **Gilles' WebLog : How to debug a BizTalk 2004 pipeline: tips and tricks**

BizTalk server 2004 allows you to send and receive pretty much any kind of message. This is achieved by the combination of adapters and pipelines .  
[blogs.msdn.com/gzunino/archive/2004/07/01/171281.aspx](http://blogs.msdn.com/gzunino/archive/2004/07/01/171281.aspx) - 24k - [Cached](#) - [Similar pages](#)

## **Darren Jefford : Handy BizTalk Debugging Tip**

So, you've got Health and Activity Tracking (HAT) to look at the messages and orchestrations inside your BizTalk server, but typically you want more ...  
[blogs.msdn.com/darrenj/archive/2004/04/29/123254.aspx](http://blogs.msdn.com/darrenj/archive/2004/04/29/123254.aspx) - 25k - [Cached](#) - [Similar pages](#)  
[ [More results from blogs.msdn.com](#) ]

## **Debugging a BizTalk Application**

Health and Activity Tracking facilitates the **debugging** of orchestrations, because standard .NET language debuggers are not sufficient to **debug** them. BizTalk ...  
[book.itzero.com/.../0672325985/ch16lev1sec1.html](http://book.itzero.com/.../0672325985/ch16lev1sec1.html) - 39k - [Cached](#) - [Similar pages](#)

## **BizTalk Trick: Display Debug Messages in an Orchestration ...**

Helper class to display **debug** information in BizTalk orchestrations. /// </summary> public  
class MessageBox { private MessageBox() ...  
[weblogs.asp.net/jan/archive/2004/03/09/86495.aspx](http://weblogs.asp.net/jan/archive/2004/03/09/86495.aspx) - 33k - [Cached](#) - [Similar pages](#)

## **FAQTs - Knowledge Base - View Entry - How to debug a BizTalk 2004 ...**

How to **debug** a BizTalk 2004 pipeline? Apr 8th, 2005 01:30 Balaji Ramachandran,  
<http://blogs.msdn.com/gzunino/archive/2004/07/01/171281.aspx> ...  
[www.faqs.com/knowledge\\_base/view.phtml/aid/35322](http://www.faqs.com/knowledge_base/view.phtml/aid/35322) - 7k - [Cached](#) - [Similar pages](#)

## **TopXML : Debug BizTalk Server Orchestration, in BizTalk Server**

"Debug BizTalk Server Orchestration, in BizTalk Server"  
[www.topxml.com/BizTalk-Server/re-60970\\_Debug-BizTalk-Server-Orchestration.aspx](http://www.topxml.com/BizTalk-Server/re-60970_Debug-BizTalk-Server-Orchestration.aspx) - 51k  
- [Cached](#) - [Similar pages](#)

## **Debug BizTalk orchestration**

Debug BizTalk orchestration. Debug orchestration with HAT is kinda boring. Like lots of folks, I'd rather use DebugView to guess where is the point of ...  
[geekswithblogs.net/chrishan/archive/2005/06/24/44655.aspx](http://geekswithblogs.net/chrishan/archive/2005/06/24/44655.aspx) - 29k - [Cached](#) - [Similar pages](#)

## **Debugging components called via BizTalk Server - Bundy's .NET and ...**

Assuming you have compiled these components for **debugging** and have deployed all the BizTalk artefacts, you can then **debug** these components using the ...  
[dotnet.org.za/lacya/archive/2007/06/25/debuggin.aspx](http://dotnet.org.za/lacya/archive/2007/06/25/debuggin.aspx) - 21k - [Cached](#) - [Similar pages](#)

## **Trace of Thought (Scott Colestock) - NAnt for BizTalk 2004...**

One of the more complicated aspects for a developer using BizTalk 2004 is the large number of steps required during the edit/run/**debug** cycle. ...  
[www.traceofthought.net/PermaLink,guid,2e018262-cc86-4830-bdc6-871dfb1af51e.aspx](http://www.traceofthought.net/PermaLink,guid,2e018262-cc86-4830-bdc6-871dfb1af51e.aspx) - 35k - [Cached](#) - [Similar pages](#)

[Google](#) [Search](#) [Advanced Search](#)[Preferences](#)[New!](#) [View and manage your web history](#)**Web Scholar** Results 1 - 10 of about 557 for **xlang interface collection information on shapes**. (0.20 sec on)**Scholarly articles for xlang interface collection information on shapes**

-  [Ontology-driven Web services composition platform](#) - Arpinar - Cited by 33
-  [Contracts and types](#) - Meredith - Cited by 70

**BizTalk Server Glossary**

A Web-based user **interface** (UI) that is used to access all BizTalk Messaging Services tracking **information**. It can also track **XLANG** schedule status for ...  
[msdn2.microsoft.com/en-us/library/ms941323.aspx](http://msdn2.microsoft.com/en-us/library/ms941323.aspx) - 83k - [Cached](#) - [Similar pages](#)

**Non-disruptive business process debugging and analysis - Patent ...**

... an "interceptor," which is a **XLANG/s interface** that is defined by the **XLANG/s** runtime, collects **information on shapes** that have started, **shapes** that ...  
[www.freepatentsonline.com/20050071243.html](http://www.freepatentsonline.com/20050071243.html) - 93k - [Cached](#) - [Similar pages](#)

**.NET e-Business: Enabling Inter-Application Communications ...**

BizTalk is designed to provide us with a comprehensive **interface** for managing ... an **XLANG** Schedule drawing using a set of well known flowchart-like **shapes**. ...  
[www.samspublishing.com/articles/article.asp?p=25285&seqNum=5](http://www.samspublishing.com/articles/article.asp?p=25285&seqNum=5) - 26k - [Cached](#) - [Similar pages](#)

**Sun ONE Studio Developer Resources - Sun ONE Studio 7, Compiler ...**

For example, in the procedure **interface** below, the directive specifies that SRC ... Note that dummy arguments for assumed-**shape** arrays, Fortran pointers, ...  
[developers.sun.com/sunstudio/documentation/s1s7cc\\_documentation/READMEs/fortran\\_95.html](http://developers.sun.com/sunstudio/documentation/s1s7cc_documentation/READMEs/fortran_95.html) - 45k - [Cached](#) - [Similar pages](#)

**[doc] Chapter 6 BizTalk Server**

File Format: Microsoft Word - [View as HTML](#)  
Message Queuing **Shape**. This allows an **XLANG** schedule to communicate with ... sets it to one side in a file directory ready for **collection** by BizTalk Server. ...  
[www.cosmobonsor.com/DOT%20Net%20Book/Chapter%204%20BizTalk%20Server.doc](http://www.cosmobonsor.com/DOT%20Net%20Book/Chapter%204%20BizTalk%20Server.doc) - [Similar pages](#)

**[PDF] LNCS 4103 - Shop Floor Information Management and SOA**

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
every level with the right amount and granularity of **information**. Another focal point. will be the **interface** between platform independent UML 2.0 activity ...  
[www.infosys.tuwien.ac.at/Staff/sd/papers/Shop%20Floor%20Information%20Management%20and%20SOA.pdf](http://www.infosys.tuwien.ac.at/Staff/sd/papers/Shop%20Floor%20Information%20Management%20and%20SOA.pdf) - [Similar pages](#)

**[PDF] Ontology-driven web services composition platform - e-Commerce ...**

File Format: PDF/Adobe Acrobat  
of computation from a **collection** of **information** resources ..... **shapes** indicate different domains; thick lines indicate. communication lines between super ...  
[ieeexplore.ieee.org/iel5/9218/29236/01319728.pdf](http://ieeexplore.ieee.org/iel5/9218/29236/01319728.pdf) - [Similar pages](#)

**DevSpec | blog - .Net Framework**

**Collection**. Generic interfaces. Generic **IComparable interface** (Refer System ..... user **interface** of a .NET Framework application by using **shapes** and sizes. ...  
[devspec.net/blog/SyndicationService.asmx/GetRssCategory?categoryName=.Net%20Framework](http://devspec.net/blog/SyndicationService.asmx/GetRssCategory?categoryName=.Net%20Framework) - 467k - [Cached](#) - [Similar pages](#)

**[PDF] An Overview of Sangam: A System for Integrating Data to ...**

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
**XLANG** etc.) beyond the **interface**. As discussed in previous section, this service ... tions for each **collection**. The use of the ontologies turns the ...  
[w2ks.dei.isep.ipp.pt/labdotnet/files/IVNET/sangam\\_p.pdf](http://w2ks.dei.isep.ipp.pt/labdotnet/files/IVNET/sangam_p.pdf) - [Similar pages](#)

## ACM: Digital Library: Communications of the ACM

BEPL4WS drew much of its inspiration from the version of **XLANG** that was used ... The

notion of sort, for example, proscribes the **shape** of data that may flow ...

[portal.acm.org/citation.cfm?doid=944217.944236](http://portal.acm.org/citation.cfm?doid=944217.944236) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

Google

xlang interface collection information on shape  Advanced Search  
Preferences  
New! View and manage your web history

Web Results 11 - 20 of about 557 for xlang interface collection information on shapes. (0.07 seconds)

Microsoft TechNet: BizTalk Server 2000 Deployment Considerations

BizTalk Orchestration Designer provides four Implementation **shapes** ..... Note: When an **XLANG** schedule uses an object with an **interface** that has changed, ...

[www.microsoft.com/technet/prodtechnol/biztalk/biztalk2000/deploy/btdeploy.mspx](http://www.microsoft.com/technet/prodtechnol/biztalk/biztalk2000/deploy/btdeploy.mspx) - 81k -

Cached - Similar pages

[PDF] The Dimension of Time: Historiography in Information Systems Research

File Format: PDF/Adobe Acrobat - View as HTML

European Research Center for **Information** Systems, University of Muenster, Germany .....

actions, such as the **collection** of payment from ...

[www.ejel.org/volume-2/vol2-issue2/v2-i2-art6-vossen.pdf](http://www.ejel.org/volume-2/vol2-issue2/v2-i2-art6-vossen.pdf) - Similar pages

Chris Dickson's Blog

An event log error entry is still written by **XLANG**/s, but it contains more context **information**, including the name of the orchestration **shape** where the ...

[blogs.charteris.com/blogs/chrisdi/default.aspx](http://blogs.charteris.com/blogs/chrisdi/default.aspx) - 98k - Cached - Similar pages

How messages work in BizTalk Server 2004 Orchestrations

Messages are constructed indirectly using the Construct Message **shape** (obviously!). ...

Messages can be typed in a variety of ways in **XLANG**/s. ...

[geekswithblogs.net/cyoung/articles/4634.aspx](http://geekswithblogs.net/cyoung/articles/4634.aspx) - 104k - Cached - Similar pages

Current Solutions for Web Service Composition

A Web component's public **interface** can then be published and used for ... In the first case, we can proscribe the type or **shape** of data that can be ...

[doi.ieee.org/10.1109/MIC.2004.58](http://doi.ieee.org/10.1109/MIC.2004.58) - Similar pages

XLANG

In addition to defining the **shape** of messages on the wire, ..... The declarative **information** allows **XLANG** compliant infrastructure to use correlation tokens ...

[xml.coverpages.org/XLANG-C-200106.html](http://xml.coverpages.org/XLANG-C-200106.html) - 111k - Cached - Similar pages

Trace of Thought (Scott Colestock) - Monday, 29 March 2004

Yes, there is a code representation (**xlang**/s) underneath the ... using all the orchestration **shapes** as intended but not yet bothering with real maps and ...

[www.traceofthought.net/default,date,2004-03-29.aspx](http://www.traceofthought.net/default,date,2004-03-29.aspx) - 58k - Cached - Similar pages

Trace of Thought (Scott Colestock) - Wednesday, 21 April 2004

Yes, there is a code representation (**xlang**/s) underneath the ... The various **shapes** in your initial orchestration can often represent reasonable granularity ...

[www.traceofthought.net/default,date,2004-04-21.aspx](http://www.traceofthought.net/default,date,2004-04-21.aspx) - 64k - Cached - Similar pages

Sun Studio 9: Fortran 95 Compiler Readme

Note - If your compiler **collection** software has not been installed in the default /opt ... and those with **assumed-shape**, allocatable, or pointer arguments. ...

[developers.sun.com/sunstudio/documentation/ss9\\_docs/mr/READMEs/fortran\\_95.html](http://developers.sun.com/sunstudio/documentation/ss9_docs/mr/READMEs/fortran_95.html) - 33k - Cached - Similar pages

Forte[tm] Developer 7: Fortran 95 Readme

Information in the release notes overrides **information** in all readme files. ..... The OpenMP Fortran 95 API Specification Version 2.0 allows assumed **shape** ...

[www.cerfacs.fr/Info/doc/Compilateurs/sunone7/mr/READMEs/fortran\\_95.html](http://www.cerfacs.fr/Info/doc/Compilateurs/sunone7/mr/READMEs/fortran_95.html) - 41k - Cached - Similar pages

Google

Business activity monitoring

Search Advanced Search

Preferences

New! View and manage your web history

Web

Results 1 - 10 of about 26,700,000 for **Business activity monitoring**. (0.25 seconds)**Systar BAM Portfolio**www.systar.com **Business Activity Monitoring** lets you manage business in real-time

Sponsored Links

**Oracle BAM**

www.Oracle.com/Appserver/BAM Improve business operations with real-time BAM solutions.

**Axapta Business Alerts**

Built-in activity monitoring. Communicates time-sensitive info. www.AlertsForAxapta.com

**Business activity monitoring - Wikipedia, the free encyclopedia****Business Activity Monitoring (BAM)** is software that aids in monitoring of business processes, as those processes are implemented in computer systems. ...

en.wikipedia.org/wiki/Business\_activity\_monitoring - 18k - Cached - Similar pages

**Workflow And Web Forms**

Automate processes, rules and forms without programming. Download now. www.transparentlogic.com

**Oracle Business Activity Monitoring****Oracle Business Activity Monitoring (Oracle BAM)** is a complete solution for building interactive, real-time dashboards and proactive alerts for monitoring ...

www.oracle.com/appserver/business-activity-monitoring.html - 58k - Cached - Similar pages

**BAM Dashboard Demo**View demo of award winning **Business Activity Monitoring Platform** www.syndera.com/demo**Oracle Business Activity Monitoring****Oracle Business Activity Monitoring (Oracle BAM)** gives business executives the ability to monitor their business services and processes in the enterprise, ...

www.oracle.com/technology/products/integration/bam/ - 57k - Cached - Similar pages

**Performance Dashboards****Business activity monitoring (BAM)**. Real-time performance dashboards. www.progress.com/apama**Supply Chain Visibility**... and optimization with Axway's collaborative **business** solutions. www.axway.com**Business Activity Monitoring****Business Activity Monitoring** gives the business and IT the actionable insight to identify where the existing errors are occurring so they can address them ...

www.webmethods.com/Products/BusinessActivityMonitoring - 21k - Jul 31, 2007 - Cached - Similar pages

**Top KnowledgeSync Partner**

Monitor CRM, ERP &amp; Supply chain systems to improve productivity. www.infinityinfo.com

**Transaction Processing**

Straight-through processing of the post-trade securities process www.checkfreesoftware.com

**BI Worst Practices**

Top 4 reasons BI deployments fail. Is yours on the list? White Paper. www.InformationBuilders.com

[More Sponsored Links »](#)**Business Activity Monitoring (BAM) - The Beginnings of IT Insight ...**

IT blindness" can result in missed business opportunities on a large scale, according to the term's creator, David Luckham, a Stanford professor, ...

www.ebizq.net/topics/bam/features/4689.html - 26k - Cached - Similar pages

**Business Activity Monitoring (BAM) - ebizQ**

BAM is the marriage between business integration and business intelligence. BAM provides real-time alerts based on business metrics when business processes ...

www.ebizq.net/topics/bam/ - 32k - Jul 30, 2007 - Cached - Similar pages

**Business Activity Monitoring**

Information Builders provides real-time reporting, business intelligence and integration software and services to build Corporate Performance Management ...

www.informationbuilders.com/solutions/bam.html - 16k - Cached - Similar pages

**Business Activity Monitoring Software**

TIBCO's **Business Activity Monitoring** (BAM) Software leverages TIBCO's complete set of **business** integration solutions to aggregate information from ...  
[www.tibco.com/software/business\\_activity\\_monitoring/default.jsp](http://www.tibco.com/software/business_activity_monitoring/default.jsp) - 24k -  
[Cached](#) - [Similar pages](#)

### **Business Activity Monitoring (BAM) - Edgewater Technology**

Most recently, this process has been referred to as **Business Activity Monitoring** (BAM), which is becoming more and more an essential tool for today's ...  
[www.edgewater.com/Capabilities/BusinessActivityMonitoring/](http://www.edgewater.com/Capabilities/BusinessActivityMonitoring/) - 57k -  
[Cached](#) - [Similar pages](#)

### **Business Activity Monitoring**

**Business Activity Monitoring** by Systar delivers complete **business** process performance management solutions that deploy quickly and lead to rapid return on ...  
[www.systar.com/](http://www.systar.com/) - 50k - Aug 1, 2007 - [Cached](#) - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

**Google**

remotely debugging biztalk

Search

Advanced Search

Preferences

New! View and manage your web history

Web

Results 1 - 10 of about 239,000 for **remotely debugging biztalk**. (0.18 seconds)

## **Debugging a BizTalk Application**

You can **debug** orchestration on a **remote** server from a machine that has **Administration** tools installed. You should also be part of **BizTalk Server** ...

[book.itzero.com/.../0672325985/ch16lev1sec1.html](http://book.itzero.com/.../0672325985/ch16lev1sec1.html) - 39k - [Cached](#) - [Similar pages](#)

## **Configuring Remote Debugging for Orchestrations**

You can completely **configure** **remote debugging** between client and server. The client configuration is specified in **Microsoft.XLANGs.BizTalk** ...

[msdn2.microsoft.com/en-US/library/aa560795.aspx](http://msdn2.microsoft.com/en-US/library/aa560795.aspx) - 15k - [Cached](#) - [Similar pages](#)

## **biztalk 2006 orchestration debugging - biztalk swicki - powered by ...**

Is there a **BizTalk Server 2006** orchestration in your future? ... **Code, and Configuring** **Remote Debugging for Orchestrations** (all in the core docs) ...

[biztalk-swicki.eurekster.com/biztalk+2006+orchestration+debugging/](http://biztalk-swicki.eurekster.com/biztalk+2006+orchestration+debugging/) - 33k -

[Cached](#) - [Similar pages](#)

## **[doc] Handy Tricks For Debugging BizTalk via the Database**

File Format: Microsoft Word - [View as HTML](#)

This paper provides details of the **BizTalk Server** internal database working. ... If you have a **remote** database then you either need to use linked server to ...

[home.comcast.net/~sdwoodgate/BizTalkServer2004AdvancedMessageBoxQueries.doc](http://home.comcast.net/~sdwoodgate/BizTalkServer2004AdvancedMessageBoxQueries.doc) - [Similar pages](#)

## **Debugging Orchestrations**

Microsoft **BizTalk Server 2004**. **Debugging Orchestrations** ... **Tracking Orchestrations with** **HAT** · **Remote Debugging Configuration** · **Custom Debugging** ...

[msdn.microsoft.com/library/en-us/sdk/htm/ebiz\\_prog\\_orch\\_jtsw.asp](http://msdn.microsoft.com/library/en-us/sdk/htm/ebiz_prog_orch_jtsw.asp) - 9k - [Cached](#) - [Similar pages](#)

## **DotNetSlackers: How to turn on remote debugging for Visual Studio ...**

How to turn on **remote debugging** for Visual Studio 2005 in Windows XP with Service Pack

2 ... **Debugger Visualizer for BizTalk 2006**: **MessageContext** more ...

[dotnetslackers.com/Visual\\_Studio/re-](http://dotnetslackers.com/Visual_Studio/re-)

[17052\\_How\\_to\\_turn\\_on\\_remote\\_debugging\\_for\\_Visual\\_Studio\\_2005\\_in\\_Windo...](http://17052_How_to_turn_on_remote_debugging_for_Visual_Studio_2005_in_Windo...) - 99k - [Cached](#) - [Similar pages](#)

## **Re: Source Server not utilized when Remote Debugging - MSDN Forums**

Is this functionality available when **remotely debugging**? .... **BizTalk R2 General**, -»

**BizTalk R2 Adapters and Adapter Pack**, -» **BizTalk EDI and AS2** ...

[forums.microsoft.com/MSDN/ShowPost.aspx?PostID=1756948&SiteID=1](http://forums.microsoft.com/MSDN/ShowPost.aspx?PostID=1756948&SiteID=1) - 80k -

[Cached](#) - [Similar pages](#)

## **Remote Debug VS2005 Debug Symbols Not loaded - MSDN Forums**

I am receiving the following message while attempting to **remote debug** an application: .....

**BizTalk R2 General**, -» **BizTalk R2 Adapters and Adapter Pack** ...

[forums.microsoft.com/MSDN/ShowPost.aspx?PostID=794356&SiteID=1](http://forums.microsoft.com/MSDN/ShowPost.aspx?PostID=794356&SiteID=1) - 148k -

[Cached](#) - [Similar pages](#)

[ [More results from forums.microsoft.com](#) ]

## **p2p.wrox.com Forums - remote debugging not working**

I can open and load the **remote** web, even build it. When I hit **debug**, ... **Professional C#**

2005, Professional BlackBerry, Professional **BizTalk Server 20** ...

[p2p.wrox.com/TopicIndex/20845.htm](http://p2p.wrox.com/TopicIndex/20845.htm) - 73k - [Cached](#) - [Similar pages](#)

## **windbg Remote debugging - Errors when viewing local variables or ...**

Guys, When trying to **remotely debug** our application we can set break points fine ...

2/13/2006 1:01:43 PM Re: **Remote debugging - Errors when viewing local ...**

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

---

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

**Google****Microsoft BizTalk Server XLANG**[Search](#)[Advanced Search](#)[Preferences](#)

New! View and manage your web history

**Web**Results 1 - 10 of about 40,100 for **Microsoft BizTalk Server XLANG**. (0.13 seconds)**Building Microsoft BizTalk Server 2002 Solutions: Course 2728—Four ...**

Read about Course 2728: Building Microsoft BizTalk Server 2002 Solutions. ... Exercise 1: Adding BizTalk Messaging Shapes to an XLANG Schedule Drawing ...

[www.microsoft.com/learning/syllabi/en-us/2728afinal.mspx](http://www.microsoft.com/learning/syllabi/en-us/2728afinal.mspx) - 46k - [Cached](#) - [Similar pages](#)

**Microsoft BizTalk Server: Business Process Management Solution ...**

Process simulation and roundtrip engineering (import/export) is supported for BPEL, XPDL, and **BizTalk Server XLANG/ODX** formats. Process Modeler is one of ...

[www.microsoft.com/biztalk/solutions/bpm/partners.mspx](http://www.microsoft.com/biztalk/solutions/bpm/partners.mspx) - 36k - [Cached](#) - [Similar pages](#)

[ [More results from www.microsoft.com](#) ]

**How to debug XLANG schedule - The Code Project - Microsoft BizTalk ...**

Before you begin, you must install XLANG trace located on [Drive]:\Program

Files\Microsoft BizTalk Server\SDK\XLANG Samples\XlangTrace. ...

[www.codeproject.com/biztalk/DebugXLANGschedule.asp](http://www.codeproject.com/biztalk/DebugXLANGschedule.asp) - 23k - [Cached](#) - [Similar pages](#)

**Windows Marketplace: Product details for Microsoft BizTalk Server ...**

**Microsoft BizTalk Server 2000 Enterprise Edition** - complete package By Microsoft ...

Edition supports COM+ applications that host groups of XLANG schedules. ...

[www.windowsmarketplace.com/details.aspx?itemid=174994](http://www.windowsmarketplace.com/details.aspx?itemid=174994) - 28k - [Cached](#) - [Similar pages](#)

**[PDF] Oracle Data Sheet**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**Microsoft BizTalk Server XLANG**/s Orchestrations Performance report. Apply Grid

Control's Powerful Monitoring and Event Management Features ...

[www.oracle.com/technology/products/oem/pdf/ds\\_biztalk.pdf](http://www.oracle.com/technology/products/oem/pdf/ds_biztalk.pdf) - [Similar pages](#)

**Microsoft BizTalk Server 2002 Service Pack 1 Documentation**

Browse to \Program Files\Microsoft BizTalk Server\XLANG Scheduler\ on the installation drive. Paste the file. In the Confirm File Replace dialog box, ...

[download.microsoft.com/download/c/8/3/c8345d65-a3bd-498f-86c9-e4a707ac861c/Readme\\_SP1.htm](http://download.microsoft.com/download/c/8/3/c8345d65-a3bd-498f-86c9-e4a707ac861c/Readme_SP1.htm) - 60k - [Cached](#) - [Similar pages](#)

**Microsoft BizTalk Server 2002**

HOW TO: Modify the XLANG File DSN to Use SQL Authentication in **Microsoft BizTalk**

Server The XLANG file data source name (DSN), which **BizTalk** Orchestration ...

[support.microsoft.com/ph/1443](http://support.microsoft.com/ph/1443) - [Similar pages](#)

**.NET e-Business: Enabling Inter-Application Communications ...**

**Microsoft BizTalk Server 2000** is a .NET Enterprise Class server product with ... Business analysts create an XLANG Schedule drawing using a set of well ...

[www.samspublishing.com/articles/article.asp?p=25285&seqNum=5](http://www.samspublishing.com/articles/article.asp?p=25285&seqNum=5) - 26k - [Cached](#) - [Similar pages](#)

**Microsoft BizTalk Server**

NET Enterprise Server family of products, **Microsoft BizTalk Server 2000** ... An executable business-process file called an XLANG schedule provides this ...

[www.netways.com/whitepapers/white11.html](http://www.netways.com/whitepapers/white11.html) - 16k - [Cached](#) - [Similar pages](#)

**Microsoft BizTalk Server 2002 Fail Fast Tutorial and Sample AIC**

The fail fast process involves **Microsoft® BizTalk® Server 2002** shutting down a schedule instance even if it is not completed. In an XLANG schedule, ...

[msdn2.microsoft.com/en-us/library/ms942903.aspx](http://msdn2.microsoft.com/en-us/library/ms942903.aspx) - 11k - [Cached](#) - [Similar pages](#)